

MOHAWK LOOP

Mohawk Loop is a comprehensive collection of extremely high pcw recycled papers to support sustainable design. With a range of print surfaces and fashionable palette of whites, pastels, jewel tones and earthy fibered shades, Loop enables environmental responsibility the Mohawk way and is truly a one-stop shop for papers that are FSC certified and made with windpower.

FEATURED COLLECTIONS

SUSTAINABLE

Papers with recycled or alternative fibers and a compelling sustainability story.

EXPRESSIVE

Papers with distinctive tactile and colorful properties.

ESSENTIALS

Many of our most popular papers, consistently and reliably available.



mohawk

MOHAWK LOOP

MANUFACTURING REQUIREMENTS

Skid packing: 5,000 lbs.
Special size (standard basis weights): 5,000 lbs.
Special basis weight: 15,000 lbs.
Pasting (standard basis weights): 5,000 lbs.
Pasting (special basis weights): 15,000 lbs.
Rolls (standard basis weights): 5,000 lbs.
Consult mill for all other items.
All items are subject to trim.

I-TONE® ONDEMAND PROGRAM

This grade contains approved i-Tone® OnDemand items. For a minimum of 1 carton, an approved item can be coated for use on HP Indigo, repackaged and shipped to the customer in its original size as a quick-turn special.
Contact customersupportdistgroup@mohawkpaper.com for specifics.

PHYSICAL PROPERTIES

ANTIQUE VELLUM

SHADE	LBS/GSM	CALIPER	SHEFFIELD	PPI	OPACITY	BRIGHTNESS
Snow	80t/118	6.4	320	312	93.5	—
Snow	80c/216	11.5	320	174	98	—
Snow	110dtc/298	16.8	320	118	99	—
White	18pt/338	18.0*	370	112	99	—

All grades are run to basis weight and finish. Caliper is approximate unless denoted by *
100% pcw fiber shades typically run lower in caliper than virgin shades.

FELTMARK

SHADE	LBS/GSM	CALIPER	SHEFFIELD	PPI	OPACITY	BRIGHTNESS
Pure White	80t/118	7.2	—	278	94	94
Pure White	80c/216	12.6	—	158	98	94
Pure White	110c/298	16.5	—	121	99	94
Pure White	130c/352	19.0	—	105	99	94

All grades are run to basis weight and finish. Caliper is approximate.
100% pcw fiber shades typically run lower in caliper than virgin shades.

LINEN

SHADE	LBS/GSM	CALIPER	SHEFFIELD	PPI	OPACITY	BRIGHTNESS
Pure White	24w/90	4.3	—	464	92	94
Pure White	70t/104	5.0	—	400	93	94
Pure White	80c/216	9.5	—	210	98	94
Pure White	110dtc/298	14.9	—	134	99	94
Pure White	130dtc/352	16.5	—	122	99	94

All grades are run to basis weight and finish. Caliper is approximate.
100% pcw fiber shades typically run lower in caliper than virgin shades.

MOHAWK LOOP

SMOOTH

SHADE	LBS/GSM	CALIPER	SHEFFIELD	PPI	OPACITY	BRIGHTNESS
Pure White	24w/90	4.5	180	444	91	94
Pure White	70t/104	5.1	180	392	92	94
Pure White	80t/118	5.9	180	338	93	94
Pure White	80c/216	10.4	180	192	98	94
Pure White	110dte/297	14.3	180	140	99	94
Pure White	130dte/352	17.5	180	114	99	94
White	18pt/365	18.0*	280	112	99	—

All grades are run to basis weight and finish. Caliper is approximate unless denoted by *
100% pcw fiber shades typically run lower in caliper than virgin shades.

MOHAWK LOOP

indicates Essentials item

ANTIQUE VELLUM

WEIGHT LBS/GSM	INCHES	MM	M WT	SHEETS/ PACKAGE	SHEETS/ CARTON	CARTONS/ PALLET	CODE NUMBER
BIRCH / 100% pcw / FSC							SUSTAINABLE
80t/118	25 x 38	635 x 965	160	—	1000	14	89-3825
80c/216	26 x 40	660 x 1016	320	—	500	14	89-8826
110dtc/298	26 x 40	660 x 1016	440	—	250	22	89-9717
HUSK / 100% pcw / FSC							SUSTAINABLE
80t/118	25 x 38	635 x 965	160	—	1000	14	89-3425
80c/216	26 x 40	660 x 1016	320	—	500	14	89-8426
110dtc/298	26 x 40	660 x 1016	440	—	250	14	89-9384
JUTE / 50% pcw / FSC							SUSTAINABLE
80t/118	25 x 38	635 x 965	160	—	1000	14	52240
80c/216	26 x 40	660 x 1016	320	—	500	16	52128
110dtc/298	26 x 40	660 x 1016	440	—	250	22	52242
MILKWEED / 100% pcw / FSC							SUSTAINABLE
80t/118	25 x 38	635 x 965	160	—	1000	14	89-3525
80c/216	26 x 40	660 x 1016	320	—	500	14	89-8526
110dtc/298	26 x 40	660 x 1016	440	—	250	24	89-9747
NEW BLACK / 50% pcw / FSC							SUSTAINABLE
80t/118	25 x 38	635 x 965	160	—	1000	14	52381
80c/216	26 x 40	660 x 1016	320	—	500	14	52383
110dtc/298	26 x 40	660 x 1016	440	—	250	22	52384
SNOW / 100% pcw / FSC							SUSTAINABLE
80t/118	25 x 38	635 x 965	160	—	1000	14	89-4225
80c/216	26 x 40	660 x 1016	320	—	500	14	89-9226
110dtc/298	26 x 40	660 x 1016	440	—	250	22	89-9757
STRAW / 50% pcw / FSC							SUSTAINABLE
80t/118	25 x 38	635 x 965	160	—	1000	14	52248
80c/216	26 x 40	660 x 1016	320	—	500	16	52165
110dtc/298	26 x 40	660 x 1016	440	—	250	22	52250

MOHAWK LOOP

indicates Essentials item

ANTIQUE VELLUM FOLDING BOARD

WEIGHT LBS/GSM	INCHES	MM	M WT	SHEETS/ PACKAGE	SHEETS/ CARTON	CARTONS/ PALLET	CODE NUMBER
-------------------	--------	----	---------	--------------------	-------------------	--------------------	----------------

NEW BLACK / 30% pcw / FSC

SUSTAINABLE

18pt/338	28 x 40	711 x 1016	538	—	300	14	52387
----------	---------	------------	-----	---	-----	----	-------

STRAW / 50% pcw / FSC

SUSTAINABLE

18pt/338	28 x 40	711 x 1016	538	—	300	14	52347
----------	---------	------------	-----	---	-----	----	-------

WHITE / 80% pcw / FSC

SUSTAINABLE

18pt/338	28 x 40	711 x 1016	538	—	300	14	52281
	28 x 40	711 x 1016	538	—	2000	skid	24-9001

ANTIQUE VELLUM DIGITAL WITH I-TONE

WEIGHT LBS/GSM	INCHES	MM	M WT	SHEETS/ PACKAGE	SHEETS/ CARTON	CARTONS/ PALLET	CODE NUMBER
-------------------	--------	----	---------	--------------------	-------------------	--------------------	----------------

STRAW / 50% pcw / FSC

SUSTAINABLE

110dct/298	19 x 13	483 x 330	104.5	—	375	56	52345
------------	---------	-----------	-------	---	-----	----	-------

FELTMARK

WEIGHT LBS/GSM	INCHES	MM	M WT	SHEETS/ PACKAGE	SHEETS/ CARTON	CARTONS/ PALLET	CODE NUMBER
-------------------	--------	----	---------	--------------------	-------------------	--------------------	----------------

GRANITE / 50% pcw / FSC

SUSTAINABLE

80t/118	25 x 38	635 x 965	160	—	1000	12	87-1760
80c/216	23 x 35	584 x 889	248	—	500	14	88-1750
	26 x 40	660 x 1016	320	—	500	14	88-1770
110c/298	26 x 40	660 x 1016	440	—	300	18	88-1785

IVORY / 100% pcw / FSC

SUSTAINABLE

80t/118	25 x 38	635 x 965	160	—	1000	12	72-0725
80c/216	26 x 40	660 x 1016	320	—	500	14	73-0741

PURE WHITE / 94 bright / 30% pcw / FSC

EXPRESSIVE

80t/118	25 x 38	635 x 965	160	—	1000	12	72-3176
80c/216	23 x 35	584 x 889	248	—	500	16	73-3174
	26 x 40	660 x 1016	320	—	500	14	73-3177
110c/298	26 x 40	660 x 1016	440	—	300	18	73-3185
130c/352	26 x 40	660 x 1016	520	—	250	18	73-3200

WHITE / 100% pcw / FSC

SUSTAINABLE

80t/118	23 x 35	584 x 889	136	—	1000	12	72-0143
	25 x 38	635 x 965	160	—	1000	12	72-0145
80c/216	26 x 40	660 x 1016	320	—	500	14	73-0145
110c/298	26 x 40	660 x 1016	440	—	300	18	73-0185
130c/352	26 x 40	660 x 1016	520	—	250	18	73-0200

MOHAWK LOOP

LINEN

WEIGHT LBS/GSM	INCHES	MM	M WT	SHEETS/ PACKAGE	SHEETS/ CARTON	CARTONS/ PALLET	CODE NUMBER
-------------------	--------	----	---------	--------------------	-------------------	--------------------	----------------

IVORY / 100% pcw / FSC

SUSTAINABLE

24w/90	8.5 x 11	216 x 279	12	500	5000	32	72-0631
	35 x 23	889 x 584	103	—	1500	14	72-0639
70t/104	23 x 35	584 x 889	119	—	1200	14	72-0717
80c/216	23 x 35	584 x 889	248	—	500	16	73-0765
	26 x 40	660 x 1016	320	—	500	14	73-0768

PURE WHITE / 94 bright / 30% pcw / FSC

EXPRESSIVE

24w/90	8.5 x 11	216 x 279	12	500	5000	40	72-3030
	35 x 23	889 x 584	103	—	1500	14	72-3038
80c/216	26 x 40	660 x 1016	320	—	500	16	73-3167
110dtc/298	26 x 40	660 x 1016	440	—	250	26	73-3168
130dtc/352	26 x 40	660 x 1016	520	—	250	22	73-3172

SMOOTH

WEIGHT LBS/GSM	INCHES	MM	M WT	SHEETS/ PACKAGE	SHEETS/ CARTON	CARTONS/ PALLET	CODE NUMBER
-------------------	--------	----	---------	--------------------	-------------------	--------------------	----------------

GRANITE / 50% pcw / FSC

SUSTAINABLE

70t/104	25 x 38	635 x 965	140	—	1000	18	87-1708
80c/216	23 x 35	584 x 889	248	—	500	16	88-1755
	26 x 40	660 x 1016	320	—	500	16	88-1775

PURE WHITE / 94 bright / 30% pcw / FSC

EXPRESSIVE

24w/90	35 x 23	889 x 584	103	—	1500	12	72-3048
70t/104	25 x 38	635 x 965	140	—	1000	18	72-3146
80t/118	25 x 38	635 x 965	160	—	1000	14	72-3196
80c/216	23 x 35	584 x 889	248	—	500	16	73-3194
	26 x 40	660 x 1016	320	—	500	16	73-3197
110dtc/298	26 x 40	660 x 1016	440	—	250	26	73-3198
130dtc/352	26 x 40	660 x 1016	520	—	250	20	73-3192

WHITE / 100% pcw / FSC

SUSTAINABLE

24w/90	8.5 x 11	216 x 279	12	500	5000	32	72-6040
70t/104	25 x 38	635 x 965	140	—	1000	18	72-6146
80t/118	25 x 38	635 x 965	160	—	1000	14	72-6176
80c/216	26 x 40	660 x 1016	320	—	500	16	73-6195
110dtc/298	26 x 40	660 x 1016	440	—	250	26	73-6198
130dtc/352	26 x 40	660 x 1016	520	—	250	20	73-6188

SMOOTH FOLDING BOARD

WEIGHT LBS/GSM	INCHES	MM	M WT	SHEETS/ PACKAGE	SHEETS/ CARTON	CARTONS/ PALLET	CODE NUMBER
-------------------	--------	----	---------	--------------------	-------------------	--------------------	----------------

WHITE / 80% pcw / FSC

SUSTAINABLE

18pt/365	28 x 40	711 x 1016	582	—	300	14	52280
----------	---------	------------	-----	---	-----	----	-------