

Mohawk Specialty Digital Product Compatibility for MGI Equipment (Updated 2/26/2013)

This document from Mohawk MakeReady provides recommendations and guidelines regarding Mohawk Specialty Digital product compatibility with MGI color digital printing equipment. Because machine specifications for material thickness, surface texture and sheet size vary widely between equipment brands, Mohawk encourages testing our Specialty Substrates on your particular press before committing to a large program. Samples are readily available at www.mohawkconnects.com.

MGI Color Equipment Included:

MGI Meteor DP60 Pro

MGI Meteor DP8700 S

MGI Meteor DP8700 XL

Mohawk Products Included:

Mohawk Synthetics

Mohawk Pressure Sensitive

Mohawk Magnets

Mohawk Embedded

Mohawk Panoramic

Mohawk Dimensional



Equipment At-a-Glance

Digital presses come in many shapes and sizes. This is a quick summary of the MGI brands of equipment and their respective capabilities in relation to paper substrates. Please note that all models in a press family may have slightly different specifications. This chart is a guide only of spec ranges. For full details on equipment capabilities, refer to www.mgiusa.com.

Press Family	Photo	Rated Speed	Acceptable Weights	Acceptable Sizes
MGI Meteor DP60 Pro	Management of the state of the	65ppm	20 lbs – 130 lbs (70gsm – 350gsm)	3.94" x 5.9" - 13" x 26" (Optional up to 13" x 40")
MGI Meteor DP8700 S		71ppm	20 lbs – 110 lbs (70 gsm to 300 gsm)	3.94" x 7.17"- 13" x 19"
MGI Meteor DP8700 XL		71ppm	20 lbs – 130 lbs (70gsm – 350gsm)	3.94" x 5.83" - 13" x 26" (Optional up to 13" x 40")

Because machine specifications for material thickness, surface texture and sheet size vary widely between equipment brands, Mohawk encourages testing our Specialty Substrates on your particular press before committing to a large program. Samples are readily available at $\underline{www.mohawkconnects.com} \mid \textbf{Page 2}$



Compatibility At-a-Glance

Curious which specialty categories have products compatible with your engine? This is a quick summary of compatibility by product category and engine family. For full details on compatible products, refer to the proceeding pages.

Engine Family	Synthetic	Pressure Sensitive	Magnet	Embedded	Panoramic	Dimensional
MGI Meteor DP60 Pro	•	•		•	•	•
MGI Meteor DP8700 S	•	•		•	•	•
MGI Meteor DP8700 XL	•	•		•	•	•

• Indicates one or more products in that category are recommended for this equipment.

Because machine specifications for material thickness, surface texture and sheet size vary widely between equipment brands, Mohawk encourages testing our Specialty Substrates on your particular press before committing to a large program. Samples are readily available at $\underline{www.mohawkconnects.com} \mid \textbf{Page 3}$



			Synthetics			
	Polyester, 5.0 mil Item #512	Polyester, 7.0 mil Item #513	Polyester, 10.0 mil Item #515	PVC, 10.0 mil Item #477	PVC, 15.0 mil Item #482	Velvet, 10.0 Mil Item #563
Engine Setting	Compatible	Compatible	Compatible	Compatible	Not Compatible	Not Compatible
Weight	182 gsm	254 gsm	300 gsm	350 gsm		
Finish	Gloss Coated	Gloss Coated	Gloss Coated	Gloss Coated		
Fusing	45	45	45	35		
THV	60	60	60	60		
Backup	45	45	45	35		
Notes	Middle Speed	Middle Speed	Middle Speed	High Speed		

	Pressure Sensitive (Permanent Adhesive)								
Matte PaperSemi-Gloss PaperHigh-Gloss PaperPolyesterVinylItem #145Item #342Item #299Item #320Item #350									
Engine Setting	Compatible	Compatible	Compatible	Compatible	Compatible				
Weight	172 gsm	172 gsm	172 gsm	297 gsm	300 gsm				
Finish	Gloss Coated	Gloss Coated	Gloss Coated	Gloss Coated	Gloss Coated				

Because machine specifications for material thickness, surface texture and sheet size vary widely between equipment brands, Mohawk encourages testing our Specialty Substrates on your particular press before committing to a large program. Samples are readily available at $\underline{www.mohawkconnects.com} \mid \textbf{Page 4}$



	Pressure Sensitive (Removable, Ultra Removable, & Ultra Cling Adhesive)									
	Vinyl White Removable Item #309	Vinyl Frosty Clear Removable Item #344	Vinyl White Ultra Removable Item #409	Vinyl Frosty Clear Ultra Removable Item #444	Vinyl White Ultra Cling Item #509	Vinyl Frosty Clear Ultra Cling Item #544				
Engine Setting	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible				
Weight	300 gsm	297 gsm	298 gsm	298 gsm	229 gsm	244 gsm				
Finish	Gloss Coated	Gloss Coated	Gloss Coated	Gloss Coated	Gloss Coated	Gloss Coated				
Fusing	45	45	45	45	45	45				
THV	60	70	60	70	60	70				
Backup	45	45	45	45	45	45				
Notes	High Speed	Middle Speed	High Speed	Middle Speed	High Speed	Middle Speed				

		Magnets		
	Matte Polypropylene	Semi-Gloss Paper	Semi-Gloss Paper	Semi-Gloss Paper
	13.0 mil	13.0 mil	14.0 mil	17.0 mil
	Item #900M-3HP	Item #900G-3HP	Item #900-4	Item #900
Engine Setting	Not Compatible	Not Compatible	Not Compatible	Not Compatible
Weight				
Finish				

Because machine specifications for material thickness, surface texture and sheet size vary widely between equipment brands, Mohawk encourages testing our Specialty Substrates on your particular press before committing to a large program. Samples are readily available at $\underline{www.mohawkconnects.com} \mid \textbf{Page 5}$



		Embedded			
	1-up Synthetic Card 80 text Item #901-1	1-up, 2-wide Synthetic Cards 80 text Item #901-2	1-up Magnet Card 80 text Item #903	4-up Magnet Cards 100 cover Item #904	
Engine Setting	Compatible	Compatible	Compatible	Not Compatible	
Weight	118 gsm	118 gsm	118 gsm		
Finish	Uncoated	Uncoated	Uncoated		
Notes	Recommended to load	Recommended to load	Recommended to load small		
	small stacks (~50 sheets)	small stacks (~50 sheets)	stacks (~50 sheets) in		
	in feeding drawers. Design	in feeding drawers. Design	feeding drawers. Design		
	layout templates/dielines	layout templates/dielines	layout templates/dielines		
	are available <u>here</u> .	are available <u>here</u> .	are available <u>here</u> .		

Because machine specifications for material thickness, surface texture and sheet size vary widely between equipment brands, Mohawk encourages testing our Specialty Substrates on your particular press before committing to a large program. Samples are readily available at $\underline{www.mohawkconnects.com} \mid \textbf{Page 6}$



	Panoramic										
				proPhoto	proPhoto	Endleaf	Endleaf				
	Options	Loop Silk	$50/10\mathrm{Gloss}$	Lustre	Lustre	1/2 cohesive,	1/2 cohesive, $1/2$				
	Uncoated	Coated	Coated	190 gsm	$260\mathrm{gsm}$	1/2 Untreated	PS				
	Item #58-4578	Item #81127	Item #35-639	Item #25-	Item #25-	Item #26-2001	Item #26-2004				
				1004	1005						
Engine	Compatible	Compatible	Compatible	Not	Not	Compatible	Compatible				
Setting	Companie		Compatible		Compatible	Compatible	Companisie				
Weight	148 gsm	148 gsm	148 gsm			148 gsm	148 gsm				
Finish	Uncoated	Gloss Coated	Gloss Coated			Uncoated	Uncoated				
Notes	Make sure to	Make sure to	Make sure to			Make sure to	Make sure to				
	register the	register the	register the			register the	register the				
	paper size	paper size	paper size			paper size	paper size				
	accurately as	accurately as	accurately as			accurately as	accurately as				
	18.5" x 12".	18.5" x 12".	18.5" x 12".			$18.5" \times 12"$.	18.5" x 12".				
	Design layout	Design layout	Design layout			Design layout	Design layout				
	templates are	templates are	templates are			templates are	templates are				
	available <u>here</u> .	available <u>here</u> .	available <u>here</u> .			available <u>here</u> .	available <u>here</u> .				

Because machine specifications for material thickness, surface texture and sheet size vary widely between equipment brands, Mohawk encourages testing our Specialty Substrates on your particular press before committing to a large program. Samples are readily available at $\underline{www.mohawkconnects.com} \mid \textbf{Page 7}$



	Dimensional (Mohawk Superfine Eggshell)									
	4-Up Door Hanger Item #20- 1056	Pocket Folder Item #20- 1057	2-Up Gift Box Item #20- 1058	Table Tent Item #20- 1059	2-Up Greeting Card Item #20-1060	4x4 Cube Box Item #20-1062	Golf Ball Box Item #20-1063	Wine Box Item #20- 1064		
Engine Setting	Compatible	Not Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Not Compatible		
Weight	270 gsm		270 gsm	270 gsm	270 gsm	270 gsm	270 gsm			
Finish	Uncoated		Uncoated	Uncoated	Uncoated	Uncoated	Uncoated			
Notes	Design layout		Design layout	Design layout	Design	Design	Design			
	templates are		templates are	templates are	layout	layout	layout			
	available		available	available	templates	templates	templates			
	<u>here</u> .		<u>here</u> .	<u>here</u> .	are available	are available	are available			
					<u>here</u> .	<u>here</u> .	<u>here</u> .			

Because machine specifications for material thickness, surface texture and sheet size vary widely between equipment brands, Mohawk encourages testing our Specialty Substrates on your particular press before committing to a large program. Samples are readily available at $\underline{www.mohawkconnects.com} \mid \textbf{Page 8}$



	Dimensional (Mohawk Via Linen)									
	4-Up Door Hanger Item #147556	Pocket Folder Item #147557	2-Up Gift Box Item #147558	Table Tent Item #147559	2-Up Greeting Card Item #147560	4x4 Cube Box Item #147562	Golf Ball Box Item #147563			
Engine Setting	Compatible	Not Compatible	Compatible	Compatible	Compatible	Compatible	Compatible			
Weight	298 gsm		298 gsm	298 gsm	298 gsm	298 gsm	298 gsm			
Finish	Uncoated		Uncoated	Uncoated	Uncoated	Uncoated	Uncoated			
Notes	Linen texture		Linen texture	Linen texture	Linen texture	Linen texture	Linen texture			
	may require		may require	may require	may require	may require	may require			
	change in		change in	change in	change in	change in	change in			
	transfer or		transfer or	transfer or	transferor	transfer or	transferor			
	imaging charge		imaging	imaging	imaging	imaging	imaging			
	for best results.		charge for best	charge for best	charge for	charge for	charge for			
	Design layout		results. Design	results. Design	best results.	best results.	best results.			
	templates are		layout	layout	Design layout	Design layout	Design layout			
	available <u>here</u> .		templates are	templates are	templates are	templates are	templates are			
			available <u>here</u> .	available <u>here</u> .	available	available	available			
					<u>here</u> .	<u>here</u> .	<u>here</u> .			

Because machine specifications for material thickness, surface texture and sheet size vary widely between equipment brands, Mohawk encourages testing our Specialty Substrates on your particular press before committing to a large program. Samples are readily available at $\underline{www.mohawkconnects.com} \mid \textbf{Page 9}$



	Dimensional (Mohawk Color Copy Ultra Gloss)									
	4-Up Door Hanger Item #37-556 Here #37-556 2-Up Card Item #37-562 1-Up Card Item #37-562 2-Up Card Item #37-562 #37-560									
Engine Setting	Compatible	Not Compatible	Compatible	Compatible	Compatible	Compatible	Compatible			
Weight	250 gsm		250 gsm	250 gsm	250 gsm	250 gsm	250 gsm			
Finish	Gloss Coated		Gloss Coated	Gloss Coated	Gloss Coated	Gloss Coated	Gloss Coated			
Notes	Design layout templates are available <u>here</u> .		Design layout templates are available <u>here</u> .	Design layout templates are available <u>here</u> .	Design layout templates are available here.	Design layout templates are available here.	Design layout templates are available here.			

Because machine specifications for material thickness, surface texture and sheet size vary widely between equipment brands, Mohawk encourages testing our Specialty Substrates on your particular press before committing to a large program. Samples are readily available at $\underline{www.mohawkconnects.com} \mid \textbf{Page 10}$



			Synthetics			
	Polyester, 5.0 mil Item #512	Polyester, 7.0 mil Item #513	Polyester, 10.0 mil Item #515	PVC, 10.0 mil Item #477	PVC, 15.0 mil Item #482	Velvet, 10.0 Mil Item #563
Engine Setting	Compatible	Compatible	Compatible	Compatible	Not Compatible	Not Compatible
Weight	182 gsm	254 gsm	300 gsm	300 gsm		
Finish	Gloss Coated	Gloss Coated	Gloss Coated	Gloss Coated		
Fusing	45	45	45	35		
THV	60	60	60	60		
Backup	45	45	45	35		
Notes	Middle Speed	Middle Speed	Middle Speed	High Speed		

	Pressure Sensitive (Permanent Adhesive)							
Matte PaperSemi-Gloss PaperHigh-Gloss PaperPolyesterVinylItem #145Item #342Item #299Item #320Item #350								
Engine Setting	Compatible	Compatible	Compatible	Compatible	Compatible			
Weight	172 gsm	172 gsm	172 gsm	297 gsm	300 gsm			
Finish	Gloss Coated	Gloss Coated	Gloss Coated	Gloss Coated	Gloss Coated			

Because machine specifications for material thickness, surface texture and sheet size vary widely between equipment brands, Mohawk encourages testing our Specialty Substrates on your particular press before committing to a large program. Samples are readily available at $\underline{www.mohawkconnects.com} \mid \textbf{Page 11}$



	Pressure Sensitive (Removable, Ultra Removable, & Ultra Cling Adhesive)								
	Vinyl White Removable Item #309	Vinyl Frosty Clear Removable Item #344	Vinyl White Ultra Removable Item #409	Vinyl Frosty Clear Ultra Removable Item #444	Vinyl White Ultra Cling Item #509	Vinyl Frosty Clear Ultra Cling Item #544			
Engine Setting	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible			
Weight	300 gsm	297 gsm	298 gsm	298 gsm	229 gsm	244 gsm			
Finish	Gloss Coated	Gloss Coated	Gloss Coated	Gloss Coated	Gloss Coated	Gloss Coated			
Fusing	45	45	45	45	45	45			
THV	60	70	60	70	60	70			
Backup	45	45	45	45	45	45			
Notes	High Speed	Middle Speed	High Speed	Middle Speed	High Speed	Middle Speed			

		Magnets		
	Matte Polypropylene	Semi-Gloss Paper	Semi-Gloss Paper	Semi-Gloss Paper
	13.0 mil	13.0 mil	14.0 mil	17.0 mil
	Item #900M-3HP	Item #900G-3HP	Item #900-4	Item #900
Engine Setting	Not Compatible	Not Compatible	Not Compatible	Not Compatible
Weight				
Finish				

Because machine specifications for material thickness, surface texture and sheet size vary widely between equipment brands, Mohawk encourages testing our Specialty Substrates on your particular press before committing to a large program. Samples are readily available at $\underline{www.mohawkconnects.com} \mid \textbf{Page 12}$



		Embedded		
	1-up Synthetic Card 80 text Item #901-1	1-up, 2-wide Synthetic Cards 80 text Item #901-2	1-up Magnet Card 80 text Item #903	4-up Magnet Cards 100 cover Item #904
Engine Setting	ngine Setting Compatible Compa		Compatible	Not Compatible
Weight	118 gsm	118 gsm	118 gsm	
Finish	Uncoated	Uncoated	Uncoated	
Notes	Recommended to load	Recommended to load	Recommended to load small	
	small stacks (~50 sheets)	small stacks (~50 sheets)	stacks (~50 sheets) in	
	in feeding drawers. Design	in feeding drawers. Design	feeding drawers. Design	
	layout templates/dielines	layout templates/dielines	layout templates/dielines	
	are available <u>here</u> .	are available <u>here</u> .	are available <u>here</u> .	

Because machine specifications for material thickness, surface texture and sheet size vary widely between equipment brands, Mohawk encourages testing our Specialty Substrates on your particular press before committing to a large program. Samples are readily available at $\underline{www.mohawkconnects.com} \mid \textbf{Page 13}$



	Panoramic								
				proPhoto	proPhoto	Endleaf	Endleaf		
	Options	Loop Silk	$50/10\mathrm{Gloss}$	Lustre	Lustre	1/2 cohesive,	1/2 cohesive, $1/2$		
	Uncoated	Coated	Coated	$190\mathrm{gsm}$	$260\mathrm{gsm}$	1/2 Untreated	PS		
	Item #58-4578	Item #81127	Item #35-639	Item #25-	Item #25-	Item #26-2001	Item #26-2004		
				1004	1005				
Engine	Compatible	Compatible	Compatible	Not	Not	Compatible	Compatible		
Setting	Companible	Companisie		Compatible	Compatible	Companible	Companiole		
Weight	148 gsm	148 gsm	148 gsm			148 gsm	148 gsm		
Finish	Uncoated	Gloss Coated	Gloss Coated			Uncoated	Uncoated		
Notes	Make sure to	Make sure to	Make sure to			Make sure to	Make sure to		
	register the	register the	register the			register the	register the		
	paper size	paper size	paper size			paper size	paper size		
	accurately as	accurately as	accurately as			accurately as	accurately as		
	18.5" x 12".	18.5" x 12".	$18.5" \times 12"$.			18.5" x 12".	18.5" x 12".		
	Design layout	Design layout	Design layout	mm		Design layout	Design layout		
	templates are	templates are	templates are			templates are	templates are		
	available <u>here</u> .	available <u>here</u> .	available <u>here</u> .			available <u>here</u> .	available <u>here</u> .		

Because machine specifications for material thickness, surface texture and sheet size vary widely between equipment brands, Mohawk encourages testing our Specialty Substrates on your particular press before committing to a large program. Samples are readily available at $\underline{www.mohawkconnects.com} \mid \textbf{Page 14}$



	Dimensional (Mohawk Superfine Eggshell)								
	4-Up Door Hanger Item #20- 1056	Pocket Folder Item #20- 1057	2-Up Gift Box Item #20- 1058	Table Tent Item #20- 1059	2-Up Greeting Card Item #20-1060	4x4 Cube Box Item #20-1062	Golf Ball Box Item #20-1063	Wine Box Item #20- 1064	
Engine Setting	Compatible	Not Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Not Compatible	
Weight	270 gsm		270 gsm	270 gsm	270 gsm	270 gsm	270 gsm		
Finish	Uncoated		Uncoated	Uncoated	Uncoated	Uncoated	Uncoated		
Notes	Design layout		Design layout	Design layout	Design	Design	Design		
	templates are		templates are	templates are	layout	layout	layout		
	available		available	available	templates	templates	templates		
	<u>here</u> .		<u>here</u> .	<u>here</u> .	are available	are available	are available		
					<u>here</u> .	<u>here</u> .	<u>here</u> .		

Because machine specifications for material thickness, surface texture and sheet size vary widely between equipment brands, Mohawk encourages testing our Specialty Substrates on your particular press before committing to a large program. Samples are readily available at $\underline{www.mohawkconnects.com} \mid \textbf{Page 15}$



	Dimensional (Mohawk Via Linen)								
	4-Up Door Hanger Item #147556	Pocket Folder Item #147557	2-Up Gift Box Item #147558	Table Tent Item #147559	2-Up Greeting Card Item #147560	4x4 Cube Box Item #147562	Golf Ball Box Item #147563		
Engine Setting	Compatible	Not Compatible	Compatible	Compatible	Compatible	Compatible	Compatible		
Weight	298 gsm		298 gsm	298 gsm	298 gsm	298 gsm	298 gsm		
Finish	Uncoated		Uncoated	Uncoated	Uncoated	Uncoated	Uncoated		
Notes	Linen texture		Linen texture	Linen texture	Linen texture	Linen texture	Linen texture		
	may require		may require	may require	may require	may require	may require		
	change in		change in	change in	change in	change in	change in		
	transfer or		transfer or	transfer or	transfer or	transfer or	transfer or		
	imaging charge		imaging	imaging	imaging	imaging	imaging		
	for best results.		charge for best	charge for best	charge for	charge for	charge for		
	Design layout		results. Design	results. Design	best results.	best results.	best results.		
	templates are		layout	layout	Design layout	Design layout	Design layout		
	available <u>here</u> .		templates are	templates are	templates are	templates are	templates are		
			available <u>here</u> .	available <u>here</u> .	available	available	available		
					<u>here</u> .	<u>here</u> .	<u>here</u> .		

Because machine specifications for material thickness, surface texture and sheet size vary widely between equipment brands, Mohawk encourages testing our Specialty Substrates on your particular press before committing to a large program. Samples are readily available at $\underline{www.mohawkconnects.com} \mid \textbf{Page 16}$



	Dimensional (Mohawk Color Copy Ultra Gloss)							
Hanger							Golf Ball Box Item #37-563	
Engine Setting	Compatible	Not Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	
Weight	250 gsm		250 gsm	250 gsm	250 gsm	250 gsm	250 gsm	
Finish	Gloss Coated		Gloss Coated	Gloss Coated	Gloss Coated	Gloss Coated	Gloss Coated	
Notes	Design layout templates are available <u>here</u> .		Design layout templates are available <u>here</u> .	Design layout templates are available <u>here</u> .	Design layout templates are available here.	Design layout templates are available here.	Design layout templates are available here.	

Because machine specifications for material thickness, surface texture and sheet size vary widely between equipment brands, Mohawk encourages testing our Specialty Substrates on your particular press before committing to a large program. Samples are readily available at $\underline{www.mohawkconnects.com} \mid \textbf{Page 17}$



			Synthetics			
	Polyester, 5.0 mil Item #512	Polyester, 7.0 mil Item #513	Polyester, 10.0 mil Item #515	PVC, 10.0 mil Item #477	PVC, 15.0 mil Item #482	Velvet, 10.0 Mil Item #563
Engine Setting	Compatible	Compatible	Compatible	Compatible	Not Compatible	Not Compatible
Weight	182 gsm	254 gsm	300 gsm	350 gsm		
Finish	Gloss Coated	Gloss Coated	Gloss Coated	Gloss Coated		
Fusing	45	45	45	35		
THV	60	60	60	60		
Backup	45	45	45	35		
Notes	Middle Speed	Middle Speed	Middle Speed	High Speed		

	Pressure Sensitive (Permanent Adhesive)							
Matte PaperSemi-Gloss PaperHigh-Gloss PaperPolyesterVinylItem #145Item #342Item #299Item #320Item #350								
Engine Setting	Compatible	Compatible	Compatible	Compatible	Compatible			
Weight	172 gsm	172 gsm	172 gsm	297 gsm	300 gsm			
Finish	Gloss Coated	Gloss Coated	Gloss Coated	Gloss Coated	Gloss Coated			

Because machine specifications for material thickness, surface texture and sheet size vary widely between equipment brands, Mohawk encourages testing our Specialty Substrates on your particular press before committing to a large program. Samples are readily available at $\underline{www.mohawkconnects.com} \mid \textbf{Page 18}$



	Pressure Sensitive (Removable, Ultra Removable, & Ultra Cling Adhesive)								
	Vinyl White Removable Item #309	Vinyl Frosty Clear Removable Item #344	Vinyl White Ultra Removable Item #409	Vinyl Frosty Clear Ultra Removable Item #444	Vinyl White Ultra Cling Item #509	Vinyl Frosty Clear Ultra Cling Item #544			
Engine Setting	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible			
Weight	300 gsm	297 gsm	298 gsm	298 gsm	229 gsm	244 gsm			
Finish	Gloss Coated	Gloss Coated	Gloss Coated	Gloss Coated	Gloss Coated	Gloss Coated			
Fusing	45	45	45	45	45	45			
THV	60	70	60	70	60	70			
Backup	45	45	45	45	45	45			
Notes	High Speed	Middle Speed	High Speed	Middle Speed	High Speed	Middle Speed			

		Magnets		
	Matte Polypropylene	Semi-Gloss Paper	Semi-Gloss Paper	Semi-Gloss Paper
	13.0 mil	13.0 mil	14.0 mil	17.0 mil
	Item #900M-3HP	Item #900G-3HP	Item #900-4	Item #900
Engine Setting	Not Compatible	Not Compatible	Not Compatible	Not Compatible
Weight				
Finish				

Because machine specifications for material thickness, surface texture and sheet size vary widely between equipment brands, Mohawk encourages testing our Specialty Substrates on your particular press before committing to a large program. Samples are readily available at $\underline{www.mohawkconnects.com} \mid \textbf{Page 19}$



Embedded									
1-up Synthetic Card 80 text Item #901-1		1-up, 2-wide Synthetic Cards 80 text Item #901-2	1-up Magnet Card 80 text Item #903	4-up Magnet Cards 100 cover Item #904					
Engine Setting	Compatible	Compatible	Compatible	Not Compatible					
Weight	118 gsm	118 gsm	118 gsm						
Finish	Uncoated	Uncoated	Uncoated						
Notes	Recommended to load	Recommended to load	Recommended to load small						
	small stacks (~50 sheets)	small stacks (~50 sheets)	stacks (~50 sheets) in						
	in feeding drawers. Design	in feeding drawers. Design	feeding drawers. Design						
	layout templates/dielines	layout templates/dielines	layout templates/dielines						
	are available <u>here</u> .	are available <u>here</u> .	are available <u>here</u> .						

Because machine specifications for material thickness, surface texture and sheet size vary widely between equipment brands, Mohawk encourages testing our Specialty Substrates on your particular press before committing to a large program. Samples are readily available at $\underline{www.mohawkconnects.com} \mid \textbf{Page 20}$



Panoramic									
				proPhoto	proPhoto	Endleaf	Endleaf		
	Options	Loop Silk	$50/10\mathrm{Gloss}$	Lustre	Lustre	1/2 cohesive,	1/2 cohesive, $1/2$		
	Uncoated	Coated	Coated	190 gsm	260 gsm	1/2 Untreated	PS		
	Item #58-4578	Item #81127	Item #35-639	Item #25-	Item #25-	Item #26-2001	Item #26-2004		
				1004	1005				
Engine	Compatible	Compatible	Compatible	Not	Not	Compatible	Compatible		
Setting	Compandie	Compandie	Companisie	Compatible	Compatible	Companiste			
Weight	148 gsm	148 gsm	148 gsm			148 gsm	148 gsm		
Finish	Uncoated	Gloss Coated	Gloss Coated			Uncoated	Uncoated		
Notes	Make sure to	Make sure to	Make sure to			Make sure to	Make sure to		
	register the	register the	register the			register the	register the		
	paper size	paper size	paper size			paper size	paper size		
	accurately as	accurately as	accurately as			accurately as	accurately as		
	18.5" x 12".	18.5" x 12".	18.5" x 12".			$18.5" \times 12"$.	18.5" x 12".		
	Design layout	Design layout	Design layout			Design layout	Design layout		
	templates are	templates are	templates are			templates are	templates are		
	available <u>here</u> .	available <u>here</u> .	available <u>here</u> .			available <u>here</u> .	available <u>here</u> .		

Because machine specifications for material thickness, surface texture and sheet size vary widely between equipment brands, Mohawk encourages testing our Specialty Substrates on your particular press before committing to a large program. Samples are readily available at $\underline{www.mohawkconnects.com} \mid \textbf{Page 21}$



Dimensional (Mohawk Superfine Eggshell)									
	4-Up Door Hanger Item #20- 1056	Pocket Folder Item #20- 1057	2-Up Gift Box Item #20- 1058	Table Tent Item #20- 1059	2-Up Greeting Card Item #20-1060	4x4 Cube Box Item #20-1062	Golf Ball Box Item #20-1063	Wine Box Item #20- 1064	
Engine Setting	Compatible	Not Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Not Compatible	
Weight	270 gsm		270 gsm	270 gsm	270 gsm	270 gsm	270 gsm		
Finish	Uncoated		Uncoated	Uncoated	Uncoated	Uncoated	Uncoated		
Notes	Design layout		Design layout	Design layout	Design	Design	Design		
	templates are		templates are	templates are	layout	layout	layout		
	available		available	available	templates	templates	templates		
	<u>here</u> .		<u>here</u> .	<u>here</u> .	are available	are available	are available		
					<u>here</u> .	<u>here</u> .	<u>here</u> .		

Because machine specifications for material thickness, surface texture and sheet size vary widely between equipment brands, Mohawk encourages testing our Specialty Substrates on your particular press before committing to a large program. Samples are readily available at $\underline{www.mohawkconnects.com} \mid \textbf{Page 22}$



Dimensional (Mohawk Via Linen)									
	4-Up Door Hanger Item #147556	Pocket Folder Item #147557	2-Up Gift Box Item #147558	Table Tent Item #147559	2-Up Greeting Card Item #147560	4x4 Cube Box Item #147562	Golf Ball Box Item #147563		
Engine Setting	Compatible	Not Compatible	Compatible	Compatible	Compatible	Compatible	Compatible		
Weight	298 gsm		298 gsm	298 gsm	298 gsm	298 gsm	298 gsm		
Finish	Uncoated		Uncoated	Uncoated	Uncoated	Uncoated	Uncoated		
Notes	Linen texture		Linen texture	Linen texture	Linen texture	Linen texture	Linen texture		
	may require		may require	may require	may require	may require	may require		
	change in		change in	change in	change in	change in	change in		
	transfer or		transfer or	transfer or	transfer or	transfer or	transfer or		
	imaging charge		imaging	imaging	imaging	imaging	imaging		
	for best results.		charge for best	charge for best	charge for	charge for	charge for		
	Design layout		results. Design	results. Design	best results.	best results.	best results.		
	templates are		layout	layout	Design layout	Design layout	Design layout		
	available <u>here</u> .		templates are	templates are	templates are	templates are	templates are		
			available <u>here</u> .	available <u>here</u> .	available	available	available		
					<u>here</u> .	<u>here</u> .	<u>here</u> .		

Because machine specifications for material thickness, surface texture and sheet size vary widely between equipment brands, Mohawk encourages testing our Specialty Substrates on your particular press before committing to a large program. Samples are readily available at $\underline{www.mohawkconnects.com} \mid \textbf{Page 23}$



Dimensional (Mohawk Color Copy Ultra Gloss)								
	Hanger		2-Up Gift Box Item #37-558	Table Tent Item #37-559	2-Up Greeting Card Item #37-560	4x4 Cube Box Item #37-562	Golf Ball Box Item #37-563	
Engine Setting	Compatible	Not Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	
Weight	250 gsm		250 gsm	250 gsm	250 gsm	250 gsm	250 gsm	
Finish	Gloss Coated		Gloss Coated	Gloss Coated	Gloss Coated	Gloss Coated	Gloss Coated	
Notes	Design layout templates are available <u>here</u> .		Design layout templates are available <u>here</u> .	Design layout templates are available <u>here</u> .	Design layout templates are available here.	Design layout templates are available here.	Design layout templates are available here.	

Because machine specifications for material thickness, surface texture and sheet size vary widely between equipment brands, Mohawk encourages testing our Specialty Substrates on your particular press before committing to a large program. Samples are readily available at $\underline{www.mohawkconnects.com} \mid \textbf{Page 24}$